

CONTENTS

	Page
FIGURES.....	iv
TABLES.....	v
ABSTRACT.....	1
1. INTRODUCTION.....	1
2. TRANSMITTER AND RECEIVER OPERATION.....	3
3. ANTENNAS AND GROUND PLANE.....	8
4. DATA PROCESSING.....	10
5. CHARACTERISTICS OF THE PN SEQUENCE.....	11
6. SYSTEM CALIBRATION.....	11
7. DATA COLLECTION FORMATS AND PROCEDURES.....	12
7.1 16x16 BLAST Test.....	12
7.2 1x16 BLAST Test.....	13
7.3 Keyhole Test.....	13
7.4 CW Tests.....	14
7.5 Antenna Coupling Tests.....	14
7.6 Antenna Element Calibration.....	14
7.7 Data Collection Summary.....	16
8. TRANSFER FUNCTION AND H MATRIX CALCULATIONS.....	17
9. RESULTS.....	18
9.1 Transfer Function Identification.....	18
9.2 Theoretical Capacity Calculations.....	19
9.3 Power Lobing Patterns.....	21
9.4 Comparison of Measured and Predicted Results.....	27
10. CONCLUSIONS.....	29
11. REFERENCES.....	30
APPENDIX A: ANTENNA COUPLING DATA SUMMARY TABLES.....	31
APPENDIX B: ANTENNA ELEMENT CALIBRATION SUMMARY TABLES.....	38

APPENDIX C: DATA COLLECTION SUMMARY	40
APPENDIX D: TRANSMITTER CALIBRATION DATA.....	42
APPENDIX E: SOFTWARE DESCRIPTION.....	43
E.1 CalTx	43
E.2 CalRx.....	43
E.3 CalSys.....	43
E.4 Pr _{aw} H _{ij}	44
E.5 Pr _{aw} 1x16.....	44

FIGURES

	Page
Figure 1. 16-channel wideband sounder transmitter	4
Figure 2. 16-channel FPGA P/N code generator at transmitter	5
Figure 3. 4 RF channels of 16-channel transmitter array	5
Figure 4. Block diagram of 4-channel receiver.....	6
Figure 5. Preselector filters and low noise amplifiers of 4-channel receiver	6
Figure 6. Block diagram of data acquisition system	7
Figure 7. Antenna arrays on ground plane, the closer array is the receiving antenna. The antenna elements are shown in Figure 8.....	8
Figure 8. Dipole antenna elements in vertical array.....	9
Figure 9. Maximal length sequence shift register connection for period of 2^9-1 (511) chips	11
Figure 10. E-plane co-polarized and cross-polarized antenna patterns for element L01 ..	15
Figure 11. H-plane co-polarized and cross-polarized antenna patterns for element L01..	16
Figure 12. Transmit and receive array geometry	17
Figure 13. Signals received by 16 antenna elements after correlation.....	19
Figure 14. Capacity calculated for the 16x16 BLAST array with and without ground plane. Capacity is for horizontal polarization and $\rho=10$	20

Figure 15. Capacity calculated for the 16x16 BLAST array with and without ground plane. Capacity is for vertical polarization and $\rho=10$	21
Figure 16. Power lobing patterns versus receiver number for horizontal antenna polarization	23
Figure 17. Power lobing patterns versus receiver number for vertical antenna polarization	24
Figure 18. Horizontal polarization power lobing patterns for receivers 1-16 from: (a) transmitter 1, (b), transmitter 2, (c) transmitter 3, (d) transmitter 16	25
Figure 19. Vertical polarization power lobing patterns for receivers 1-16 from: (a) transmitter 1, (b), transmitter 2, (c) transmitter 3, (d) transmitter 9	25
Figure 20. Frequency effect on null location versus receive antenna height, red for $f= 2.29$ GHz, blue for $f= 2.3$ GHz, green for $f= 2.31$ GHz.....	26
Figure 21. Magnitude (abs) and phase (angle) surface plots of the measured and calculated H matrix	27
Figure 22. The capacity of a 16x16 element array situated over a ground plane versus the antenna array separation (d), and the height above the ground plane of the top element of the receiving array (hmax).....	29

TABLES

	Page
Table 1. Difference between Measured and Calculated H Matrix for 16x16 Element Array over NIST Ground Plane.....	28
Table 2. Measured and Theoretically Predicted Channel Capacities for 16x16 Element Array over NIST Ground Plane for $\rho =10$	28
Table A-1. Vertical Antenna Coupling Summary.....	31
Table A-2. Horizontal Antenna Coupling Summary	34
Table B-1. E/H Co-polarized and Cross-polarized Antenna Scans for Element L01	38
Table B-2. Summary of E and H Scan Co-polarized Antenna Element Calibration Data. Bore-sight Gain and Phase at 2300 MHz for Each Element and Range Calibration Files.....	38

Table C-1. Broadband Channel Sounder BLAST Data Files and Data Descriptions.....	40
Table C-2. Spectrum Analyzer (CW) Narrowband BLAST Data Files and Descriptions	40
Table C-3. Vector Network Analyzer Antenna Element Coupling Data Files and Descriptions	41
Table C-4. Anechoic Chamber Antenna Element Calibration Data Files and Descriptions	41
Table D-1. Transmitter Power Levels Measured at Coupler and Used for TxCal Data	42