

Millimeter-Wave Propagation in the Mesosphere

**G. A. Hufford
H. J. Liebe**



**U.S. DEPARTMENT OF COMMERCE
Robert A. Mosbacher, Secretary**

Janice Obuchowski, Assistant Secretary
for Communications and Information

September 1989

PREFACE

Certain commercial equipment and software products are identified in this report to adequately describe the design and operation of the program reported here. In no case does such identification imply recommendation or endorsement by the National Telecommunications and Information Administration, nor does it imply that the material or equipment identified is necessarily the best available for the purpose.

CONTENTS

	Page
1. INTRODUCTION	1
2. THE OXYGEN ABSORPTION LINES NEAR 60 GHz	2
2.1 Line Properties in the Absence of a Magnetic Field	2
2.2 The Geomagnetic Field and the Zeeman Effect	8
3. RADIO WAVE PROPAGATION IN THE ANISOTROPIC MESOSPHERE	17
3.1 Basic Equations for Plane-Wave Propagation	17
3.2 The Refractivity Matrix	19
3.3 Characteristic Waves	22
3.4 Polarization and Stokes Parameters	25
3.5 Symmetries and Other Properties of the Characteristic Waves	28
4. FEATURES OF THE PROGRAM "ZEEMAN"	33
4.1 N Components	36
4.2 Eigenvalues	36
4.3 Characteristic Waves	36
4.4 Radio Wave Propagation	42
4.5 Propagation Through the Mesosphere	47
5. CONCLUSIONS	50
6. ACKNOWLEDGMENT	50
7. REFERENCES	50

LIST OF FIGURES

		Page
Figure 1.	Normalized Voigt profiles of absorption u and v . Shown are profiles versus frequency x at constant pressure y (solid curves) and the pressure profiles of maximum absorption u_0 and peak dispersion v_0	7
Figure 2.	Pressure-broadened oxygen microwave lines in dry air for conditions at about 30 km altitude with $p = w$ kPa, $T = 225$ K; at top is the attenuation spectrum and at bottom is the delay spectrum.	9
Figure 3.	Schematic energy level diagram displaying the Zeeman components for the 3^+ and 3^- oxygen microwave lines. In actuality, the energy levels for $J = K \pm 1$ both lie below that for $J = K$	11
Figure 4.	Schematic plots of the frequency shifts η and relative intensity factors ξ for the Zeeman components of the 1^\pm to 7^\pm oxygen lines.	14
Figure 5.	Attenuation patterns of the 7^+ oxygen line for altitudes from 30 to 100 km. Each frame displays the three separate patterns for magnetic flux densities of 30 and $60 \mu\text{T}$	15
Figure 6.	Magnitude of the magnetic flux density as given by the International Geomagnetic Reference Field of 1985.	34
Figure 7.	The first few screens displayed by program ZEEMAN.	35
Figure 8.	The "Summary of Parameters" for the "Default Case" for program ZEEMAN.	37
Figure 9.	Real and imaginary parts of the N components for the Default Case.	38
Figure 10.	The tabular display of the N components for the Default Case.	39
Figure 11.	The eigenvalues for the Default Case. Real parts and imaginary parts plotted against the angle ϕ	40
Figure 12.	The eigenvalues for the Default Case. Real parts and imaginary parts plotted against the frequency deviation Δf	41
Figure 13.	The eigenvalues for the Default Case where, however, $\Delta f = 0$. Real parts and imaginary parts plotted against the angle ϕ	43

LIST OF FIGURES (CONT.)

	Page
Figure 14. Normalized Stokes parameters of the eigenvectors for the Default Case plotted against the angle ϕ	44
Figure 15. Trajectories of the eigenvectors for the Default Case as plotted on the Poincaré sphere.	44
Figure 16. The trajectory on the Poincaré sphere of a wave propagating through mesospheric-like medium. Parameters are those of the Default Case.	45
Figure 17. Attenuation versus distances for the wave in Figure 16.	46
Figure 18. Elliptical trajectories of the electric field at selected distance for the wave depicted in Figure 16.	46
Figure 19. Total attenuation and elliptical trajectories of the electric field after a wave has emerged from the top of the mesosphere. Initial parameters are those of the Default Case and initial polarizations are left.	48
Figure 20. Tabular display showing how a radio wave progresses through the mesosphere. Input parameters are those of the Default Case.	48
Figure 21. Total attenuation versus frequency deviation for waves emerging from the top of the mesosphere. Initial conditions are those of the Default Case. Top: vertical polarization beginning above and crossing beneath horizontal polarization. Bottom: right circular polarization beginning above and crossing beneath left circular polarization.	49

LIST OF TABLES

	Page
Table 1. Line Frequencies and Coefficients for Microwave Transitions of O_2 in Air	5
Table 2. Temperature and Pressure in the Mesosphere. (U.S. Standard Atmosphere, 1976)	6
Table 3. Coefficients for the Zeeman Components	12
Table 4. The Frequency Shifts η and Relative Intensity Factors ξ for the Zeeman Components of the $1\pm$ to $7\pm$ Oxygen Lines	13