

4. ACKNOWLEDGEMENTS

The author would like to thank Tim W. Butler, Keith E. Junker, Margaret H. Morris, and Dara Parsavand at the Institute For Telecommunication Sciences for writing image processing software that was used to produce images in this report. Further credit and appreciation is extended to Dara Parsavand for his innovative work in developing and testing the temporal root mean square position error (TRMS-PE) feature. Thanks are also extended to Edmund A. Quincy at the Institute For Telecommunication Sciences for the use of video equipment that was required to produce the test data presented in this report.

5. REFERENCES

- Barten, P. G. L. (1988), Evaluation of CRT displays with the SQRI method, Society for Information Display International Symposium Digest of Technical Papers, v. XIX, May 24-26, pp. 445-448.
- Barten, P. G. L. (1987), The SQRI method: A new method for the evaluation of visible resolution on a display, Proceedings of the Society for Information Display, v. 28/3, pp. 253-262.
- Biberman, L. M. (1973), Perception of Displayed Information, Plenum Press, New York-London, pp. 87-119.
- Biederman, I. (1985), Human image understanding: recent research and a theory, Computer Vision, Graphics, and Image Processing, v. 32, pp. 29-73.
- Carlson, C. R., and R. W. Cohen (1980), A simple psychophysical model for predicting the visibility of displayed information, Proceedings of the Society for Information Display, v. 21/3, pp. 229-246.
- CCIR Recommendation 500-3 (1986), Methods for the subjective assessment of the quality of television pictures, CCIR XVth Plenary Assembly, Dubrovnik, v.XI-1, pp. 165-173.
- CCIR Recommendation 567-2 (1986), Transmission performance of television circuits designed for use in international connections, International Radio Consultative Committee's Recommendations and Reports of the CCIR, Transmission of Sound Broadcasting and Television Signals Over Long Distances (CMTT), v. XII.
- CCIR Recommendation 654 (1986), Subjective quality of television pictures in relation to the main impairments of the analogue composite television signal, International Radio Consultative Committee's Recommendations and Reports of the CCIR, Broadcasting Service (Television), v. XI-1, pp. 223-230.

- CCIR Report 313-6 (1986), Assessment of the quality of television pictures, International Radio Consultative Committee's Recommendations and Reports of the CCIR, Broadcasting Service (Television), v. XI-1, pp. 220-223.
- CCIR Report 405-5 (1986), Subjective assessment of the quality of television pictures, International Radio Consultative Committee's Recommendations and Reports of the CCIR, Broadcasting Service (Television), v. XI-1, pp. 174-201.
- CIE Supplement No. 2 to CIE Publication No. 15 (E-1.3.1) 1971/(TC-1.3.) (1978), Recommendations on uniform color spaces - color difference equations psychometric color terms.
- Crow, E.L., Davis, F.A., and M. W. Maxfield (1960), Statistics Manual, Dover Publications Inc., 180 Varick Street, New York, New York.
- Fink, D. G. (1975), Electronics Engineers' Handbook, McGraw-Hill Inc., pp. 20-3 to 20-22.
- Geuen, W., and H. G. Preuth (1982), New performance criteria of edge detection algorithms, Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, v. 3, pp. 1936-1939.
- Gonzalez, R. C., and P. Wintz (1987), Digital Image Processing, second edition, Addison-Wesley Publishing Company.
- Held, R., Leibowitz, H. W., and H. L. Teuber (1978), Perception, Springer-Verlag Berlin Heidelberg New York, pp. 523-548.
- Higgins, G. C. (1977), Image quality criteria, Journal of Applied Photographic Engineering, v. 3, n. 2, pp. 53-60.
- Jain, A. K. (1989), Fundamentals of Digital Image Processing, Prentice-Hall Inc., Englewood Cliffs, New Jersey.
- Limb, J. O. (1979), Distortion criteria of the human viewer, IEEE Transactions on Systems, Man, and, Cybernetics, v. 9, n. 12, December, pp. 778-793.
- Mannos, J. L., and D. J. Sakrison (1974), The effects of a visual fidelity criterion on the encoding of images, IEEE Transactions on Information Theory, v. 20, n. 4, pp. 525-536.
- Miyahara, M. (1988), Quality assessments for visual service, IEEE Communications Magazine, October, pp. 51-60.
- Meiseles, H. (1988), Objective measurement methods of motion artifacts for 45 Mbit, NTSC, DPCM, bit-reduction video codecs, 130th SMPTE Technical Conference, October 15-19.
- Miyahara, M., and Y. Yoshida (1988), Mathematical transform of (R, G, B) color data to Munsell (H, V, C) color data, SPIE Visual Communications and Image Processing, v. 1001, pp. 650-657.

- Murakami, H., Hashimoto, H., and Y. Hatori (1988), Quality of band-compressed TV services, *IEEE Communications Magazine*, October, pp. 61-69.
- Nesenbergs, M. (1989), Image data compression overview: issues and partial solutions, U.S. Department of Commerce, National Telecommunications and Information Administration, NTIA Report 89-252, October.
- Newhall, S. M., Nickerson, D., and D. B. Judd (1943), Final report of the O.S.A. Subcommittee on the spacing of the Munsell colors, *Journal of the Optical Society of America*, v. 33, n. 7, pp. 385-418.
- Ohtsuka, S., Inoue, M., and K. Watanabe (1988), Quality evaluation of pictures with multiple impairments based on visually weighted error, *Society for Information Display International Symposium Digest of Technical Papers*, v. XIX, May 24-26, pp. 428-431.
- Owens, R., Venkatesh, S., and J. Ross (1989), Edge detection is a projection, *Pattern Recognition Letters*, v. 9, pp. 233-244.
- Oppenheim, A. V., and R. W. Schaffer (1975), *Digital Signal Processing*, Prentice-Hall, Englewood Cliffs, New Jersey.
- Pearson, D. E. (1980), A three-stage process for the evaluation of image quality, *Proceedings of the Society for Information Display*, v. 21/3, pp. 271-278.
- Sakrison, D. J. (1977), On the role of the observer and a distortion measure in image transmission, *IEEE Transactions on Communications*, v. 25, n. 11, November, pp. 1251-1267.
- Shapley, R. M., and D. J. Tolhurst (1973), Edge detectors in human vision, *J. Physiol.*, v. 229, pp. 165-183.
- Taylor, J. M., Murch, G. M., and P. A. McManus (1989), TekHVC™: A uniform perceptual color system for display users, *Proceedings of the Society for Information Display*, v. 30/1, pp. 15-21.
- Task, H. L. (1979), An evaluation and comparison of several measures of image quality, *Aerospace Medical Research Lab Wright-Patterson AFB OH, AMRL-TR-79-7*, January (available on Micro-fische, AD-A069 690).
- Task, H. L., Pinkus, A. R., and J. P. Hornsath (1978), A comparison of several television display image quality measures, *Proceeding of the Society for Information Display*, v. 19/3, pp. 113-119.
- Toit, T. C. du, and J. G. Lourens (1988), Automatic detection of image impairments, *IEEE International Conference on Acoustics, Speech, and Signal Processing, Multidimensional Signal Processing*, v. 2, April 11-14, pp. 1080-1083.
- Tzafestas, S. G. (1986), *Multidimensional Systems: Techniques and Applications*, Marcel Dekker Inc, New York and Basel.

Tomich, D. J., Quincy, E. A., and D. Parsavand, (1989), Expert pattern recognition assessment of image quality, IEEE International Conference on Acoustics, Speech, and Signal Processing, Multidimensional Signal Processing, Audio & Electroacoustics, v. 3, May 23-26, pp. 1799-1802.

Westernik, J. H. D. M., and J. A. J. Roufs (1988), A local basis for perceptually relevant resolution measures, Society for Information Display International Symposium Digest of Technical Papers, v. XIX, May 24-26, pp. 360-363.

6. BIBLIOGRAPHY

Allnatt, J. W. (1983), Transmitted-Picture Assessment, John Wiley & Sons, New York.

Beaton, R. J. (1988), Linear systems metrics of image quality for flat-panel displays, SPIE Image Processing, Analysis, Measurement, and Quality, v. 901, pp. 144-151.

Goodman, J. S., and D. E. Pearson (1979), Multidimensional scaling of multiply-impaired television pictures, IEEE Transactions on Systems, Man, and Cybernetics, v. 9, n. 6, June, pp. 353-356.

Lewis, N. W., and J. W. Allnatt (1965), Subjective quality of television pictures with multiple impairments, Electronic Letters, v. 1, n. 7, September, pp. 187-188.

Lourens, J. G., and M. W. Coetzer (1987), Image impairment detection using digital signal processing, International Conference of Television Measurements, 3rd, pp. 33-38.

Moon, D. L. (1988), Image quality for discrete-element displays: variables, metrics, and measurements, SPIE Image Processing, Analysis, Measurement, and Quality, v. 901, pp. 161-170.

Netravali, A. N., and B. G. Haskell (1988), Digital Pictures Representation and Compression, Plenum Publishing Corporation, New York, New York, pp. 245-297.

Pratt, W. K. (1978), Digital Image Processing, John Wiley & Sons, New York, pp. 162-200.

Smith-Kerker, P. L., and R. G. Bias (1988), The effect of color encoding on the subjective quality of color images, Society for Information Display International Symposium Digest of Technical Papers, v. XIX, May 24-26, pp. 85-88.