

Figure C-50. Oven #7, Amplitude-Probability Distribution at 2450 MHz with 300 kHz bandwidth.  
Percentage of 20-μsec Intervals with Peak Signal Exceeding Threshold







Figure C-51. Oven #7, Time vs. Amplitude displays at 2500 MHz with 300 kHz bandwidth.





Figure C-52. Oven #7, Amplitude-Probability Distribution at 2500 MHz with 300 kHz bandwidth.

*Appendix-C*



**Figure C-53.** Oven #7, Time vs. Amplitude displays at 2550 MHz with 300 kHz bandwidth.




Figure C-54. OVEN #7, Amplitude-Probability Distribution at 2550 MHz with 300 kHz bandwidth.





Figure C-55. Oven #7, Time vs. Amplitude displays at 2600 MHz with 300 kHz bandwidth.




Figure C-56. OVEN #7, Amplitude-Probability Distribution at 2600 MHz with 300 kHz bandwidth.




Figure C-57. OVEN #7, Time vs. Amplitude displays at 2300 MHz with 3 MHz bandwidth.




Figure C-58. OVEN #7, Amplitude-Probability Distribution at 2300 MHz with 3 MHz bandwidth.




Figure C-59. Oven #7, Time vs. Amplitude displays at 2350 MHz with 3 MHz bandwidth.